


Gain: 0.9, Max. Size: 40'x90'



The benchmark for critical viewing, rear projection applications




The Reference for Stunning™

Producers of Professional Projection Screens

| Material Type | Flexible Rear | Minimum Throw Distance | 0.9 x Image Width |
|-------------------------------|-----------------|--------------------------|-------------------|
| Maximum Size | 40'(H) × 90'(W) | Edge Blending Properties | Excellent |
| Peak Gain | 0.9 | Passive 3D Use | No |
| Half Gain | 71° | Lay Flat Quality | Excellent |
| Ambient Light Rejection Value | 72% | Flame Resistance | Yes |
| Ambient Light Resistance | Good | Perforation Options | No |

AeroView 90 is a flexible, rear projection screen material formulated to provide excellent white field uniformity. **AeroView 90** is an iteration of the AeroView family of products and offers a slightly elevated gain as compared to Aeroview 70 but has reduced blooming and backscatter. **AeroView 90** offers a lower gain than AeroView 100 but a wider viewing cone due to its 71 degree half gain — enough to improve edge blending. This fabric requires ambient light control, but provides an excellent compromise solution for many edge blending applications where viewers are primarily on-axis. Many integrators prefer **AeroView 90** for very short throw, single image installations to minimize backscatter related issues.





www.stewartfilmscreen.com

1161 W. Sepulveda Blvd., Torrance CA 90502 USA | 800.762.4999 | Tel: 310.784.5300 | Fax: 310.326.6870 | Email: request@stewartfilmscreen.com 2021[®] Stewart Filmscreen. Specifications are subject to change without notice.